




# Three Functions in one Machine !

SMICHAN is the Continuous rice husk Carbonization Device



A - O Type, A - A, B Type  
C2 Continuous  
3 Models of D Type

Smoke is unnoticeable .Smoke doesn't release at times smell is inconsiderable.  
Depending on the size of rice husks not air is released. hot water can be produced too



Hot air Generator & Hot Water Supply Device



Screw Conveyor



Combustion stabilizer



Rice Husk Charcoal Cooling Faucet



Before Improvement



After Improvement

Increased Combusting Efficiency  
Improved Blades Make it Easier to  
Combust & make Charcoal Quickly.

Check inside of the screw shaft, With the rise of the temperature the shaft breaks  
If Shavings and Garbage Get Mixed in Large Quantities Rice Husks may not be Burnt Properly  
and Smoke Will Be Easily Released  
If the Rice Husks are too Hydrated, Most Of the Smoke Disappears.  
Just Place the installed Machine (On a Horizontal Ground)  
For electrical work, you have to connect your electrician in your own country.

### [Options]

- Distributor Screw Selling Price 470,000 x 4m x 139 Can Store up to 3 Flexible Container Bags
- Hot air Generator (For Heating)
- Water Heater (Hot Water)Estimates Differ, With Different Dimensions
- Consumption tax adds Separately
- Transportation Cost is Based on Cash on Delivery. If this Service is Preferred Please Contact



**SKK Industry co. ltd.**

534, Takisawa, Togane City, Chiba Prefecture, 283-0833, Japan

TEL : 0475-55-9266

FAX : 0475-55-9932

e-mail : esukeikougou@gmail.com Web :http://esukeikougou.jp

Warm air generator - There are B type, C2 series type and D type Hot air Generator.

	Power used	Spacification	10 hours operation	10 hours operation
B Type	● 0.75 Motor Extruded screw conveyer		Wood / Bamboo Chip processing volume (1000 l - 3500 l)	Wood / Bamboo Chip processing volume (800 l - 1200 l)
	● 0.4 kw Motor Rising screw		Rice Husk Processing Volume (3000 l - 4500 l)	Rice Husk Processing Volume (1000 l - 1500 l)
	● 110w Motor Blower			
C2 Type	● 0.75 Motor Extruded screw conveyer		Wood / Bamboo Chip processing volume (2500 l - 3500 l)	Wood / Bamboo Chip processing volume (1000 l - 1500 l)
	● 0.4 kw Motor Rising screw		Rice Husk Processing Volume (4000 l - 5000 l)	Rice Husk Processing Volume (1500 l - 2000 l)
	● 110w Motor Blower			
D Type	● 0.75 Motor Extruded screw conveyer		Wood / Bamboo Chip processing volume (4000 l - 8000 l)	Wood / Bamboo Chip processing volume (1200 l - 2500 l)
	● 0.4 kw Motor Rising screw		Rice Husk Processing Volume (6000 l - 11000 l)	Rice Husk Processing Volume (2000 l - 3500 l)
	● 0.2kw Motor Blower			



**SKK Industry co. Ltd.**

534, Takisawa, Togane City, Chiba Prefecture, 283-0833, Japan


TEL : 0475-55-9266

FAX : 0475-55-9932

e-mail : esukeikougyou@gmail.com Web : <http://esukeikougyou.jp>



# Reference photo of how to put rice husks & rice husk discharge treatment method



**SKK Industry co. ltd.**

534, Takisawa, Togane City, Chiba Prefecture, 283-0833, Japan

TEL : 0475-55-9266

FAX : 0475-55-9932

e-mail : [esukeikougyou@gmail.com](mailto:esukeikougyou@gmail.com) Web : <http://esukeikougyou.jp>